

THE JOURNAL OF HORTICULTURAL SCIENCE

BOARD OF EDITORS

Editor:

A R REES, BSc, DSc, CBiol, FIBiol, Institute of Horticultural Research, Worthing Road, Littlehampton, West Sussex BN17 6LP.

Associate Editors:

J G ATHERTON, BSc, PhD, University of Nottingham, Sutton Bonington, Leicestershire LE12 5RD.

J L BREWSTER, BSc, DPhil, Institute of Horticultural Research, Wellesbourne, Warwick CV35 9EF.

G BROWNING, PhD, Institute of Horticultural Research, East Malling, Maidstone, Kent ME19 6BJ.

J M DUNCAN, BSc, PhD, Scottish Crop Research Institute, Invergowrie, Dundee DD2 5DA.

R FORDHAM, BSc, PhD, Wye College, Nr Ashford, Kent TN25 5AH.

B H HOWARD, BSc, PhD, Institute of Horticultural Research, East Malling, Maidstone, Kent ME19 6BJ.

H M LAWSON, BSc, MAgSc, DipAgric, Scottish Crop Research Institute, Invergowrie, Dundee DD2 5DA.

S H MANTELL, BSc, MSc, DIC, DTA, PhD, Wye College, Nr Ashford, Kent TN25 5AH.

J D QUINLAN, BSc, PhD, Institute of Horticultural Research, East Malling, Maidstone, Kent ME19 6BJ.

T J RIGGS, BSc, PhD, Institute of Horticultural Research, Wellesbourne, Warwick CV35 9EF.

W W SCHWABE, DIC, PhD, DSc, FIHort, Wye College, Nr Ashford, Kent TN25 5AH.

I W SELMAN, DSc, Wye College, Nr Ashford, Kent TN25 5AH.

R O SHARPLES, BSc, PhD, Institute of Horticultural Research, East Malling, Maidstone, Kent ME19 6BJ.

C E TAYLOR, CBE, BSc, PhD, FRSE, CBiol, FIBiol, Scottish Crop Research Institute, Invergowrie, Dundee DD2 5DA.

K J TREHARNE, BSc, PhD, FIBiol, Long Ashton Research Station, University of Bristol BS18 9AF.

L D TUKEY, BS, MS, PhD, Department of Horticulture, 103 Tyson Building, The Pennsylvania State University, University Park, PA 16802, USA.

P D WAISTER, BSc, PhD, Scottish Crop Research Institute, Invergowrie, Dundee DD2 5DA.

S J WERTHEIM, Dr Ir, Proefstation voor de Fruitteelt, Brugstraat 51, 4475 An Wilhelminadorp, The Netherlands.

PUBLICATION COMMITTEE

W W SCHWABE, DIC, PhD, DSc, FIHort (Chairman)

J K A BLEASDALE, BSc, PhD, CBiol, FIBiol, FIHort

R E BUTTERS, BSc(Hort), NDH

G G HENSHAW, BSc, PhD

J P HUDSON, CBE, MBE(Mil), GM, MSc, PhD, NDH, CBiol, FIBiol, VMH

G HUSSEY, PhD

G F PEGG, BSc, MSc, PhD

D H PITT

A F POSNETTE, CBE, ScD, PhD, AICTA, CBiol, FIBiol, FRS, VMH

A R REES, BSc, DSc, CBiol, FIBiol

D RUDD-JONES, CBE, MA, PhD, CBiol, FIBiol

C E TAYLOR, CBE, BSc, PhD, FRSE, CBiol, FIBiol

H D TINDALL, MBE, MSc, FLS, CBiol, FIBiol, CIAgrE, NDH

J TURNBULL, BSc

N WEATHERITT, NDH.

R L OXLEY, MBIM (Secretary)

VOL. 62
1987

HEADLEY BROTHERS LTD
The Invicta Press, Ashford, Kent
England

TABLE OF CONTENTS

THE JOURNAL OF HORTICULTURAL SCIENCE, VOL. 62

NO. 1 (JANUARY 1987)

| | |
|--|---------|
| J. W. PALMER: A simple, robust lightmeter for measuring light in orchards | 1-4 |
| J. W. PALMER: The measurement of leaf area in apple trees | 5-10 |
| J. N. KNIGHT and JANE E. SPENCER: Timing of application of carbaryl used as an apple fruitlet thinner | 11-16 |
| D. S. JOHNSON, M. J. MARKS and K. PEARSON: Storage quality of Cox's Orange Pippin apples in relation to fruit mineral composition during development | 17-25 |
| S. L. NIELSEN: Pesticides tested for the control of black currant gall mite (<i>Cecidophyopsis ribis</i> , Westw.) | 27-30 |
| A. G. TAYLOR and D. T. WARHOLIC: Protecting fluid drilled lettuce from herbicides by incorporating activated carbon into gels | 31-37 |
| W. E. FINCH-SAVAGE: A comparison of seedling emergence and early seedling growth from dry-sown natural and fluid-drilled pregerminated onion (<i>Allium cepa</i> L.) seeds in the field | 39-47 |
| MARTHA MALETTA and H. W. JANES: Interrelation of root and shoot temperatures on dry matter accumulation and root growth in tomato seedlings | 49-54 |
| G. E. HOBSON: Low-temperature injury and the storage of ripening tomatoes | 55-62 |
| R. P. BLACKSHAW: The chemical control of vine weevil larvae in hardy-ornamental nursery stock | 63-66 |
| R. P. BLACKSHAW and SUSAN O'NEILL: Chlorpyrifos compost treatment for vine weevil control: growth of ornamental plants compared with an aldrin standard | 67-69 |
| ULLA E. GERTSSON: Influence of light on flowering in <i>Aeschynanthus speciosus</i> Hook | 71-74 |
| C. S. HEW: The effects of 8-hydroxyquinoline sulphate, acetylsalicylic acid and sucrose on bud opening of <i>Oncidium</i> flowers | 75-78 |
| FIONA PATON and W. W. SCHWABE: Storage of cuttings of <i>Pelargonium × hortorum</i> Bailey | 79-87 |
| N. T. WELANDER: Propagation of <i>Syringa chinensis</i> cv Saugeana by <i>in vitro</i> culture of nodal explants | 89-96 |
| SHARON KLASS, J. WRIGHT and P. FELKER: Influence of auxins, thiamine and fungal drenches on the rooting of <i>Prosopis alba</i> clone B ₂ V ₅₀ cuttings | 97-100 |
| N. C. WHEELER: Effect of paclobutrazol on Douglas fir and loblolly pine | 101-106 |
| CRISTINA BARBIERI and S. MORINI: Plant regeneration from <i>Actinidia</i> callus cultures | 107-109 |
| ALICE P. O. DEDE and A. VARMA: Citrus scab disease in Nigeria | 111-116 |
| D. K. PAL and Y. SELVARAJ: Biochemistry of papaya (<i>Carica papaya</i> L.) fruit ripening: changes in RNA, DNA, protein and enzymes of mitochondrial, carbohydrate, respiratory and phosphate metabolism | 117-124 |

| | |
|---|---------|
| R. I. GRANGE and D. W. HAND: Review Article: A review of the effects of atmospheric humidity on the growth of horticultural crops | 125-134 |
| J. N. KNIGHT, JANE E. SPENCER, N. E. LOONEY and J. D. LOVELL: Chemical thinning of the apple cultivar Spartan | 135-139 |
| J. C. COMBRINK, J. STEENKAMP and F. J. CALITZ: Post-harvest application of diphenylamine wettable powder and emulsifiable concentrate on Starking apples | 141-146 |
| A. BLANCO: Fruit thinning of peach trees (<i>Prunus persica</i> (L.) Batsch.): the effect of paclobutrazol on fruit drop and shoot growth | 147-155 |
| B. K. TAYLOR, B. VAN DEN ENDE and P. H. JERIE: Studies on black-end of pear in the Goulburn Valley, Australia | 157-162 |
| C. J. DEMORANVILLE and K. H. DEUBERT: Effect of commercial calcium-boron and manganese-zinc formulations on fruit set of cranberries | 163-169 |
| B. WILLIAMSON: Effect of fenitrothion and benomyl sprays on raspberry cane midge (<i>Resseliella theobaldi</i>) and midge blight, with particular reference to <i>Leptosphaeria coniothyrium</i> in the disease complex | 171-175 |
| Y. AHARONI and R. BARKAI-GOLAN: Pre-harvest fungicide sprays and poly-vinyl wraps to control <i>Botrytis</i> rot and prolong the post-harvest storage life of strawberries | 177-181 |
| A. G. TAYLOR and M. H. DICKSON: Seed coat permeability in semi-hard snap bean seed: its influence on imbibitional chilling injury | 183-189 |
| T. NILSSON: Carbohydrate composition during long-term storage of carrots as influenced by the time of harvest | 191-203 |
| B. ALONI and E. PRESSMAN: The effects of salinity and gibberellic acid on blackheart disorder in celery (<i>Apium graveolens</i> L.) | 205-209 |
| D. G. A. WALKEY, M. J. W. WEBB, C. J. BOLLAND and A. MILLER: Production of virus-free garlic (<i>Allium sativum</i> L.) and shallot (<i>A. ascalonicum</i> L.) by meristem-tip culture | 211-219 |
| R. M. BHATT and N. K. SRINIVASA RAO: Seed germination and seedling growth responses of tomato cultivars to imposed water stress | 221-225 |
| A. M. SAMENI, M. MAFTOUN and A. BASSIRI: Responses of tomato and sweet corn to different cadmium levels in calcareous soils | 227-232 |
| WENDY C. MORGAN, A. S. MORGANS, W. E. BIRKENHEAD and B. STEVENSON: Soil fumigation for control of <i>Solanum nigrum</i> L. in direct-seeded processing tomatoes | 233-241 |
| V. KAGAN-ZUR and Y. MIZRAHI: Fruit ripening in tetraploid tomato (<i>Lycopersicon esculentum</i> Mill.) | 243-248 |
| J. H. DE LANGE, P. WILLERS and MAGDA NEL: Elimination of nematodes from ginger (<i>Zingiber officinale</i> Roscoe) by tissue culture | 249-252 |
| I. R. THORNTON and R. T. DIMSEY: A comparison of rootstocks for Valencia orange in the Sunraysia region of Australia | 253-262 |
| M. SAWAMURA, T. MANABE, T. KURIYAMA and H. KUSUNOSE: Rind spot and ascorbic acid in the flavedo of citrus fruits | 263-267 |
| O. J. AGUNLOYE: Trapping and chemical control of <i>Ceratitis capitata</i> (Wied.) (Diptera: Tephritidae) on sweet orange (<i>Citrus sinensis</i>) in Nigeria | 269-271 |
| C. M. MENZEL, M. L. CARSELDINE and D. R. SIMPSON: The effect of leaf age on nutrient composition of non-fruiting litchi (<i>Litchi chinensis</i> Sonn.) | 273-278 |

| | |
|---|---------|
| SEONG-MO KANG and J. S. TITUS: Specific proteins may determine maximum cold resistance in apple shoots | 281-285 |
| LIZ COPAS and R. R. WILLIAMS: Effect of paclobutrazol on the inoculum potential of <i>Chondrostereum purpureum</i> and silverleaf symptoms in cider apple cvs Michelin and Sweet Coppin | 287-290 |
| R. R. WILLIAMS, D. VICTORIA CHILD, LIZ COPAS and MARGARET E. HOLGATE: The mechanism of yield suppression by a triadimefon fungicide programme on the apple cv Cox's Orange Pippin | 291-294 |
| Y. LUO, H. WAINWRIGHT and K. G. MOORE: Effects of orchard application of paclobutrazol on the post-harvest ripening of apples | 295-301 |
| M. A. PERRING and K. PEARSON: Suppression of bitter pit by calcium injected into the core cavities of harvested apples | 303-304 |
| G. BROWNING, V. OGNJANOV, A. J. PASSEY and D. J. JAMES: Multiple shoot and root regeneration from pear embryo cotyledon explants <i>in vitro</i> | 305-311 |
| M. A. DHEIM and G. BROWNING: The mode of action of (2 RS, 3 RS)-paclobutrazol on the fruit set of Doyenne du Comice pear | 313-327 |
| D. W. SIMPSON: The inheritance of mildew resistance in everbearing and day-neutral strawberry seedlings | 329-334 |
| C. C. HOLE, G. E. L. MORRIS and ANNELI S. COWPER: Distribution of dry matter between shoot and storage root of field-grown carrots. I. Onset of differences between cultivars | 335-341 |
| C. C. HOLE, G. E. L. MORRIS and ANNELI S. COWPER: <i>Idem</i> . II. Relationship between initiation of leaves and storage roots in different cultivars | 343-349 |
| C. C. HOLE, G. E. L. MORRIS and ANNELI S. COWPER: <i>Idem</i> . III. Development of phloem and xylem parenchyma and cell numbers in the storage root | 351-358 |
| N. L. BIDDINGTON and A. S. DEARMAN: The effects of mechanical stress on carrot growth | 359-362 |
| J. C. BAKKER, G. W. H. WELLES and J. A. M. VAN UFFELEN: The effects of day and night humidity on yield and quality of glasshouse cucumbers | 363-370 |
| J. L. BREWSTER, W. LAWES and A. J. WHITLOCK: The phenology of onion bulb development at different sites and its relevance to incomplete bulbing ('thick-necking') | 371-378 |
| W. Y. SOBEIH and C. J. WRIGHT: The photoperiodic regulation of bulbing in onions (<i>Allium cepa</i> L.). III. Response to red:far-red ratio and cyclic lighting | 379-389 |
| M. P. SAHU, D. D. SHARMA, G. L. JAIN and H. G. SINGH: Effects of growth substances, sequestrene 138-Fe and sulphuric acid on iron chlorosis of garden peas (<i>Pisum sativum</i> L.) | 391-394 |
| C. A. C. OKONKWO: Polymorphism in taro (<i>Colocasia esculenta</i> (L.) Schott) and its implication in taro breeding and production in Nigeria | 395-400 |
| H. WAINWRIGHT and H. L. IRWIN: The effects of paclobutrazol and pinching on antirrhinum flowering pot plants | 401-404 |
| D. G. VOYIATZIS and I. C. PORLINGIS: Temperature requirements for the germination of olive seeds (<i>Olea europaea</i> L.) | 405-411 |
| E. E. PROTOPAPADAKIS: Identification by isoenzymes of five cultivars of <i>Citrus medica</i> grafted on four rootstocks | 413-419 |

| | |
|--|---------|
| D. ATKINSON and J. S. CHAUHAN: The effect of paclobutrazol on the water use of fruit plants at two temperatures | 421-426 |
| D. E. IRVING and J. H. DROST: Effects of water deficit on vegetative growth, fruit growth and fruit quality in Cox's Orange Pippin apple | 427-432 |
| J. TROMP: Growth and flower-bud formation in apple as affected by paclobutrazol, daminozide, and tree orientation in combination with various gibberellins | 433-440 |
| D. C. HARRIS: Orchard trials on the control of apple collar rot | 441-447 |
| R. SCORZA: Identification and analysis of spur growth in peach (<i>Prunus persica</i> L. Batsch) | 449-455 |
| R. FERNANDEZ-ESCOBAR and R. MARTIN: Chemical treatments for breaking rest in peach in relation to accumulated chilling | 457-461 |
| R. FERNANDEZ-ESCOBAR, R. MARTIN, P. LOPEZ-RIVARES and M. PAZ SUAREZ: Girdling as a means of increasing fruit size and earliness in peach and nectarine cultivars | 463-468 |
| S. Z. EL-AGAMY and W. B. SHERMAN: Sequence of pollination in relation to fruit set and progeny produced in peach (<i>Prunus persica</i> L. Batsch) | 469-473 |
| E. BRUZZESE and S. HASAN: Infection of blackberry cultivars by the European blackberry rust fungus, <i>Phragmidium violaceum</i> | 475-479 |
| M. E. AUSTIN and K. BONDARI: Effects of bi-weekly accumulation of chilling on flower bud characteristics of three rabbiteye blueberry cultivars | 481-484 |
| B. H. HOWARD, E. TAL and S. K. MITRA: Red raspberry propagation from leafy summer cuttings | 485-492 |
| J. W. PALMER, J. E. JACKSON and D. C. FERREE: Light interception and distribution in horizontal and vertical canopies of red raspberries | 493-499 |
| R. STANLEY: Suitability of strawberry cultivars for freezing | 501-505 |
| D. M. HEGDE: The effect of soil water potential, method of irrigation and nitrogen on plant water relations, canopy temperature, yield and water use of radish | 507-511 |
| Bo LIBERT: Genotypic and non-genetic variation of oxalate and malate content in rhubarb (<i>Rheum</i> spp. L.) | 513-521 |
| Bo LIBERT: Breeding a low-oxalate rhubarb (<i>Rheum</i> sp. L.) | 523-529 |
| J. L. TADEO, J. M. ORTIZ and A. ESTELLES: Sugar changes in clementine and orange fruit during ripening | 531-537 |
| R. A. STEPHENSON and E. C. GALLAGHER: Effects of ethephon on macadamia racemes | 539-544 |
| C. RUSSELL and P. FELKER: Comparative cold-hardiness of <i>Opuntia</i> spp. and cvs grown for fruit, vegetable and fodder production | 545-550 |
| R. A. DREW: The effects of medium composition and cultural conditions on <i>in vitro</i> root initiation and growth of papaya (<i>Carica papaya</i> L.) | 551-556 |